PART NUMBER CONFIGURATION

VNC A060 - F - WKCS - NN - T - RN 30 - L - K A N E

Complete Meter

VN2000 Compact Insertion Vortex Meter Kit	VNC		-		-		-			-			-			-				
Pipe Line Size[1]																				
2 inch		A020																		
3 inch		A030																		
4 inch		A040																		
6 inch		A060																		
8 inch		A080																		
10 inch		A100																		
12 inch		A120																		
14 inch		A140																		
16 inch		A160																		
18 inch		A180																		
20 inch		A200																		
22 inch		A220																		
24 inch		A240																		
Material																				
304L Stainless Steel				F																
Mounting Assembly Kit																				
1-1/2 inch Carbon Steel						WKCS														
Process Temperature & Pressure Standard Temperature, Standard Pressure								N												
Reserved																				
None									N											
Measurements & Calculations																				
Volumetric flow rate only										V										
Mass flow based on velocity and internal temperatur										T										
Heat energy/BTU based on velocity and temperature										E										
Transmitter Type																				
Integral, 24V DC											MN									
Remote, 24V DC											RN									
Cable Length																				
None (integral meter mount only)												00								
9 feet (remote only)												09								
30 feet (remote only)												30								
Fluid																				
Liquid														L						
Gas														G						
Steam														S						
Display																				
Display and keypad																K				
Communication & I/O																				
4…20 mA and pulse																	A			
Modbus RTU RS485																	M			
Reserved																				
None																		N		
Language																				
English																			E	

Preliminary Draft